

Neumotil Vet[®]

Tilmicosin USP 250 mg/mL

Ensures rapid killing of mycoplasma & bacteria effectively



Special Features

- ✓ Neumotil acts simultaneously as an antibiotic and anti-inflammatory agent
- ✓ Low MIC value range (0.01-0.16 μ g/mL), effective at low concentrations
- ✓ Reaches 4-13 times higher concentrations in air sacs and lungs than other cells, making it highly effective against respiratory tract infections

Neumotil Vet[®]

100 mL
500 mL

Tilmicosin USP 250 mg/mL

Cumulative Feed Conversion Ratio




Figure shows significant improvement in cumulative FCR of broiler chickens in Tilmicosin treated group when infected by *Mycoplasma gallisepticum*

Infection with *Mycoplasma gallisepticum*




Figure shows significant reduction in mortality rate of tilmicosin treated group compared to non treated group in *Mycoplasma gallisepticum* infected broiler chickens

Indication

- Mycoplasmosis
- Chronic Respiratory Disease (CRD)
- Complex Chronic Respiratory Disease (CCRD)
- Pneumonia
- Fowl Cholera (Pasteurellosis)
- Secondary Bacterial Infections

Dosages & Administration

1mL per 3 liters of drinking water daily for 3-5 days (15-20mg/kg body weight). Or, as directed by the registered Veterinarian.

Contraindication

Contraindicated in poultry hypersensitive to Tilmicosin.

Withdrawal Period

Poultry: Broiler-12 days, Turkey-19 days.

References:

1. <https://www.researchgate.net/profile/Wafaa-Abd-El-Ghany/publication/45949252>
2. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6358261/>
3. <https://www.sciencedirect.com/science/article/pii/S0022030299753439>



Manufactured for
Healthcare Pharmaceuticals Ltd.
by NAAFCO Pharma Ltd.
Dhaka, Bangladesh



Marketed by
Healthcare Formulations Limited
Animal Health Division
Dhaka, Bangladesh